

FIG. 1





FIG. 2



006080" 22552960

FIG. 3

[CONTENTS]

App: BULLETIN

URL: http://www. ***.co.jp

Comment: BE SURE TO READ

[RECEIVING MEMBER]

Custom0100

kimura@ ***.co.jp

DeveloperTeam

FIG. 4

MEMBER ID	NOTIFYING ADDRESS	...
custom0010	tanaka@***.ne.jp	...
custom0100	andy@***.ne.jp	...
custom0101	tony@***.ne.jp	...
⋮	⋮	⋮
Tmp101	Kimura@***.ne.jp	...
⋮	⋮	⋮

41

FIG. 5

MEMBER ID	TEAM	...
custom0010	DeveloperTeam	...
custom0100	DeveloperTeam	...
custom0101	OperatorTeam	...
⋮	⋮	⋮

501

005020" 22552.960

FIG. 6

603

605

601

607

MEMBER ID	SENDING CONDITIONS	NOTIFICATION METHOD (TRANSMISSION PROTOCOL)
custom0010	PRIORITY = NORMAL, HIGH: APPLICATION = BULLETIN, SCHEDULE	SMTP
custom0100	DEFAULT	SMTP
custom0101	QueMaxCount=10, Sender=DeveloperTeam	InternetMessage (Chat)
:	:	:
DEFAULT	PRIORITY = NORMAL, HIGH	InternetMessage
DEFAULT FOR APPLICATION MODULE 1	PRIORITY = HIGH	SMTP
DEFAULT FOR APPLICATION MODULE 2	PRIORITY = NORMAL	CELLULAR TELEPHONE
:	:	:

005020" 22557960

FIG. 7

701

703

705

707

709

711

NOTIFICATION REQUEST ID	MEMBER ID	CONTENTS OF NOIFICATION	NOTIFICATION SENDING TIME	...
notify0010	custom0100	APP:BULLETIN,http://www.***.co.jp	16:00	...
notify0010	custom0100	PLANS ORDERED	16:00	...
notify0011	custom0101	PLANS ORDERED	BATCH OF 10	...
:	:	:	:	:
:	:	:	:	:

FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13

